

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1190	(adjust\$4 or movable or moving) with (radiation or ultraviolet) near2 (source or lamp or light) with intensity	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:20
L2	6	(adjust\$4 or movable or moving) with (radiation or ultraviolet) near2 (source or lamp or light) with intensity "101".das.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:20
L3	24	(adjust\$4 or movable or moving) with (radiation or ultraviolet) near2 (source or lamp or light) with intensity curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:20
L4	1	(adjust\$4 or movable or moving) with height with (radiation or ultraviolet) near2 (source or lamp or light) curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:21
L5	1	(adjust\$4 or movable or moving or chang\$4) with height with (radiation or ultraviolet) near2 (source or lamp or light) curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:22
L6	1	(adjust\$4 or movable or moving or chang\$4) with vertical\$4 with (radiation or ultraviolet) near2 (source or lamp or light) curing near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:22
L8	1	"10540130"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:46
L9	1	"4,180,615".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 18:47
S1	1	"10520122"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 18:35
S2	1	"6092089".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 19:29

S3	1	"6092890".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 19:29
S5	1	"4748453".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 19:34
S6	1	"20020070997"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/10/22 20:23
S7	1	"2002044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:08
S8	50	(richard codos).in.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:09
S9	16	inert with oxygen near2 low with environment\$4 with (cure or curing or dry\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:31
S10	1085	(inert or oxygen near2 low) with environment\$4 with (cure or curing or dry\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:58
S11	7	(inert or oxygen near2 low) with environment\$4 with (cure or curing or dry\$4) "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 16:58
S12	1	"6092890".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:11
S13	166	partial\$4 near2 (cure or dry \$4 or curing) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:44
S14	95	partial\$4 near2 (cure or dry \$4 or curing) near2 ink @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:44
S15	0	partial\$4 near2 (cure or dry \$4 or curing) near2 ink @ad<="20030701" with (UV or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:45
S16	0	partial\$4 near2 (cure or dry \$4 or curing) near2 ink @ad<="20030701" with (radiation\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:45
S17	25	partial\$4 near2 (cure or dry \$4 or curing) near2 ink with (UV or ultraviolet or radiation \$4) @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/11 17:46

S18	1	partial\$4 near2 (cure or dry \$4 or curing) near2 ink with (UV or ultraviolet or radiation \$4) with (liquid or gel or solid or solidif\$4) @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:09
S19	0	oxygen near2 inhibition with (stop\$4 or prevent\$4 or slow \$4) near3 solid\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:10
S20	1	oxygen near2 inhibition with (stop\$4 or prevent\$4 or slow \$4) near3 solid\$6	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:11
S21	6645	(slow\$4 or stop\$4 or prevent \$4 or inhibit\$4) with (dry\$4 or curing or cure or solidify \$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S22	5467	(slow\$4 or stop\$4 or prevent \$4 or inhibit\$4) near3(dry\$4 or curing or cure or solidify \$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S23	5467	(slow\$4 or stop\$4 or prevent \$4 or inhibit\$4) near3 (dry\$4 or curing or cure or solidify \$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S24	799439	oxygen or (inert near2 air or gas) near3 (slow\$4 or stop \$4 or prevent\$4 or inhibit\$4) near3 (dry\$4 or curing or cure or solidify\$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S25	25	(oxygen or (inert near2 air or gas)) near3 (slow\$4 or stop\$4 or prevent\$4 or inhibit\$4) near3 (dry\$4 or curing or cure or solidify\$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/12 19:12
S26	86	partial\$4 near2 (cure or curing or dry\$4) near2 ink (radiation\$4 or UV or ultraviolet) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 14:00
S27	43	partial\$4 near2 (cure or curing or dry\$4) near2 ink (radiation\$4 or UV or ultraviolet) near2 ink @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 14:06
S28	3	"20020044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 15:41
S29	24	"6,457,823"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:04

S30	330	ink with (wet\$5) with (second or next or subsequent) near2 (pass or layer or print\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:10
S31	86	ink with (wet\$5) with (second or next or subsequent) near2 (pass or layer or print\$4) (UV or radiation\$4 or ultraviolet) near2 (ink or cur\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:11
S32	1	"20020070997"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 17:15
S33	1254	347/101.cds.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 18:55
S34	1140	347/102.cds.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 18:55
S35	502	347/106.cds.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/15 18:55
S36	3	"2338212"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 13:09
S37	0	(radiation or light or ultraviolet) near2 wavelenth with (cure or curing or dry \$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:21
S38	156	(radiation or light or ultraviolet) near2 wavelength with (cure or curing or dry\$4) near2 ink	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:21
S39	14	(radiation or light or ultraviolet) near2 wavelength with (cure or curing or dry\$4) near2 ink with ("380" or "385" or "390" or "395" or "400")	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:21
S40	1	"11524591"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2008/12/18 14:35
S41	1	"2002044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/14 17:39
S42	3	"20020044188"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/14 17:40

S43	1	"5535673".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/14 17:47
S44	4	"3918893".pn. or "4122225".pn. or "4180615".pn. or "3293094".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/28 15:06
S45	65	gloss with (curing or cure) with (variab\$4 or vary or chang\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/28 16:42
S46	16	("3918393" "4005244" "4072770" "4075366" "4169167" "4264643" "4313969" "4393187" "4411931" "4421784" "4485123" "4569966" "5169704" "5672393" "5679721" "5922473").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/09/28 17:00
S47	2	"3,807,052".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/09/28 17:30
S48	2	"3,807,052".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 11:38
S49	5	(apparatus method screen printing radiation curable).ti.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 11:42
S50	824	ultraviolet near4 lamp with (LED or light near2 emit\$4 near2 diode)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:11
S51	4	ultraviolet near4 lamp with (LED or light near2 emit\$4 near2 diode) "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:12
S52	444	ultraviolet near4 lamp with (LED or light near2 emit\$4 near2 diode) print\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:12
S53	19	ultraviolet near4 lamp with (LED or light near2 emit\$4 near2 diode) with (dry\$4 or curing) print\$4	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:13
S54	444	ultraviolet near4 lamp with light near2 emit\$4 near2 diode	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:14
S56	342	ultraviolet near2 lamp with light near2 emit\$4 near2 diode	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:14
S57	8	ultraviolet near2 lamp with light near2 emit\$4 near2 diode with (dry\$4 or curing)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:15

S59	44	ultraviolet near2 lamp with light near2 emit\$4 near2 diode same (dry\$4 or curing)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:15
S60	1	(chang\$4 or vary\$4) near2 radiat\$4 with (chang\$4 or alter\$4 or vary\$4) near2 gloss	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/05 18:24
S61	312	(dry\$4 or curing) with (radiation or ultraviolet) with gloss	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 13:52
S62	280	(dry\$4 or curing) with (radiation or ultraviolet) with gloss (dry\$4 or curing) with (ink or coat\$4)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 14:07
S63	1	"4309452".pn.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 14:38
S64	11	control\$4 with gloss\$4 with curing with radiation	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 14:42
S65	629	ink near2 jet partial\$4 near2 (cure or curing) (radiation or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:06
S66	248	ink near2 jet partial\$4 near2 (cure or curing) with (radiation or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:07
S67	58	ink near2 jet same partial\$4 near2 (cure or curing) with (radiation or ultraviolet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:07
S68	142	ink near2 jet partial\$4 near2 (cure or curing) with (radiation or ultraviolet) @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 15:08
S69	16	("20010046652" "20020099111" "20020149660" "20030035037" "20030227527" "20040011457" "20040090794" "20040189770" "20040189771" "20060007290" "6017660" "6092890" "6331056" "6457823" "6739716" "7104642").PN.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 16:12

S70	10	("20010046652" "20020099111" "20020149660" "20030035037" "20030227527" "20040011457" "20040090794" "20040189770" "20040189771" "20060007290" "6017660" "6092890" "6331056" "6457823" "6739716" "7104642").PN. ink near2 jet	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 16:13
S71	6	("20010046652" "20020099111" "20020149660" "20030035037" "20030227527" "20040011457" "20040090794" "20040189770" "20040189771" "20060007290" "6017660" "6092890" "6331056" "6457823" "6739716" "7104642").PN. ink near2 jet @ad<="20030701"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2009/10/06 16:13

10/6/2009 6:50:48 PM

C:\Documents and Settings\dbanh2\My Documents\EAST\Workspaces\10520122.wsp